



AQUA LED 600 SPOT DMX CHART

PR-8178

Short Mode	Standard Mode	Extended Mode	Function	DMX	Description
1	1	1	Strobe	0	No
				001-127	Pulse strobe from slow to fast
				128-255	General strobe from slow to fast
2	2	2	Dimmer	000-255	Linear dimming 0-100%
	3	3	Dimmer Fine	000-255	Dimming in 16bit
3	4	4	Dimmer Speed	000-255	Dimming from slow to fast
4	5	5	CYM Macro	000-016	White
				017-035	Yellow + Magenta = Red
				036-054	Yellow
				055-073	Yellow + Cyan = Green
				074-092	Cyan
				093-110	Cyan + Magenta = Blue
				111-128	Magenta
129-255	CYM color mixing from slow to fast				
5	6	6	CYM-Cyan	000-255	Cyan from light to deep linearly adjusted
		7	CYM-Cyan	000-255	Cyan in 16bit
6	7	8	CYM-Yellow	000-255	Yellow from light to deep linearly adjusted
		9	Yellow Fine	000-255	Yellow in 16bit
7	8	10	CYM-Magenta	000-255	Magenta from light to deep linearly adjusted
		11	Magenta Fine	000-255	Magenta in 16bit
8	9	12	CTO	000-255	Color temperature from high to low linearly adjusted
		13	CTO Fine	000-255	CTO in 16bit
9	10	14	Colour Wheel	000-023	White
				024-030	White/ Color 1
				031-038	Color 1
				039-045	Color 1/Color 2
				046-053	Color 2
				054-060	Color 2/Color 3
				061-068	Color 3
				069-075	Color 3/Color 4
				076-083	Color 4
				084-090	Color 4/Color 5
				091-098	Color 5
				099-105	Color 5/Color 6
106-113	Color 6				

				114-120	Color 6/White
				121-127	White
				128-191	Clockwise rainbow effect from slow to fast
				192-255	Anti-clockwise rainbow effect from slow to fast
10	11	15	Iris	000-255	From big to small linearly adjusted
		16	Iris Fine	000-255	Iris in 16bit
11	12	17	Iris Macro	000-010	No
				011-072	Macro 1: from big to small
				073-136	Macro 2: from small to big
				137-206	Macro 3: from slow to fast
				207-214	Macro 4
				215-222	Macro 5
				223-230	Macro 6
				231-255	Full open
12	13	18	Rotating Gobo Wheel 1	000-018	White
				019-036	Gobo 1
				037-054	Gobo 2
				055-073	Gobo 3
				074-091	Gobo 4
				092-109	Gobo 5
				110-127	Gobo 6
				128-156	Clockwise flow effect from slow to fast
				157-185	Anti-clockwise flow effect from slow to fast
				186-196	Gobo 1 shaking effect, from slow to fast
				197-208	Gobo 2 shaking effect, from slow to fast
				209-220	Gobo 3 shaking effect, from slow to fast
				221-232	Gobo 4 shaking effect, from slow to fast
				233-244	Gobo 5 shaking effect, from slow to fast
245-255	Gobo 6 shaking effect, from slow to fast				
13	14	19	Gobo rotation 1	000-127	Gobo index (0°~540°)
				128	Stop
				129-188	Clockwise rotating from slow to fast
				189-195	Stop
				196-255	Anti-clockwise rotating from slow to fast
	15	20	Gobo rotation 1 Fine	000-255	Gobo rotation in 16bit
14	16	21	Rotating Gobo Wheel 2	000-018	White
				019-036	Gobo 1
				037-054	Gobo 2
				055-073	Gobo 3
				074-091	Gobo 4
				092-109	Gobo 5
				110-127	Gobo 6
				128-156	Clockwise flow effect from slow to fast
				157-185	Anti-clockwise flow effect from slow to fast
				186-196	Gobo 1 shaking effect, from slow to fast
				197-208	Gobo 2 shaking effect, from slow to fast
				209-220	Gobo 3 shaking effect, from slow to fast
				221-232	Gobo 4 shaking effect, from slow to fast

				233-244	Gobo 5 shaking effect, from slow to fast
				245-255	Gobo 6 shaking effect, from slow to fast
15	17	22	Gobo rotation 2	000-127	Gobo index (0°~540°)
				128	Stop
				129-188	Clockwise rotating from slow to fast
				189-195	Stop
				196-255	Anti-clockwise rotating from slow to fast
	18	23	Gobo rotation 2 Fine	000-255	Gobo rotation in 16bit
16	19	24	Prism	000-016	White
				017-255	Prism
17	20	25	Prism rotation	000-127	Prism index
				128	Stop
				129-191	Clockwise rotating from slow to fast
				192	Stop
				193-255	Anti-clockwise rotating from slow to fast
18	21	26	Effect Wheel	000-020	No
				021-255	Animation effect
19	22	27	Effect Wheel Rotation	000-127	Clockwise rotating from slow to fast
				128-255	Anti-clockwise rotating from slow to fast
20	23	28	Frost	000-255	Frost effect
21	24	29	Focus	000-255	Focusing linearly
		30	Focus Fine	000-255	Focusing in 16bit
22	25	31	Zoom	000-255	From big to small linearly adjusted
		32	Zoom	000-255	Zooming in 16bit
23	26	33	Pan	000-255	Pan rotation
	27	34	Pan Fine	000-255	Pan rotation in 16bit
24	28	35	Tilt	000-255	Tilt rotating
	29	36	Tilt Fine	000-255	Tilt rotating in 16bit
	30	37	Pan & Tilt speed	000-255	Pan and Tilt speed from fast to slow
25	31	38	Control	000-047	Reserved
				048-255	Reset(delay 5s)

1582 Xingye Avenue, Nancun, Panyu, Guangzhou, 511442, China
+86-20-3995 2379 Fax.: +86-20-3995 2330
www.pr-lighting.com

