


EXPOLITE

ELW MC 3

led21155

DMX-Channels



DMX-Modi: 5

Channels: 13 / 13 / 15 / 21 / 21

DMX-Chart V201706-001

Änderungen sind ohne Ankündigung möglich.
Changes are possible without prior notice.

HSIC

CHANNEL	VALUE	FUNCTION
1	0 ⇔ 255	PAN
2	0 ⇔ 255	PAN FINE
3	0 ⇔ 255	TITL
4	0 ⇔ 255	TITL FINE
5	0 ⇔ 255	PT SPEED
6	0 ⇔ 255	INTENSIYT
7	0 ⇔ 255	HUE
8	0 ⇔ 255	HUE FINE
9	0 ⇔ 255	SATURATION
10		CCT
	0 ⇔ 9	NO FUNCTION
	10 ⇔ 40	2700K
	41 ⇔ 80	3200K
	81 ⇔ 120	4200K
	121 ⇔ 160	5600K
	161 ⇔ 200	6500K
	201 ⇔ 255	8000K
11		STROBE
	0 ⇔ 9	NO FUNCTION
	10 ⇔ 99	STROBE FROM £SLOW TO FAST £0-25Hz£
	100 ⇔ 109	NO FUNCTION
	110 ⇔ 179	LIGHTNING STROBE
	180 ⇔ 189	NO FUNCTION
	190 ⇔ 255	RANDOM SROBE
12	0 ⇔ 255	ZOOM
13		CONTROL
	0 ⇔ 9	NO FUNCTION
	10 ⇔ 19	PAN/TILT BLACK ACTIVATED
	20 ⇔ 29	PAN/TILT BLACK DEACTIVATED
	30 ⇔ 39	FAN SLOW
	40 ⇔ 49	FAN NORMAL
	50 ⇔ 59	FAN FAST
	60 ⇔ 69	FAN AUTO
	70 ⇔ 79	AUTO1
	80 ⇔ 89	AUTO2
	90 ⇔ 99	CUSTOM
	100 ⇔ 109	TEST
	110 ⇔ 119	RESET
	120 ⇔ 129	NO FUNCTION
	130 ⇔ 139	DIM0
	140 ⇔ 149	DIM1
	150 ⇔ 159	DIM2
	160 ⇔ 169	DIM3
170 ⇔ 179	DIM4	
180 ⇔ 255	NO FUNCTION	

PERSON1

CHANNEL	VALUE	FUNCTION
1	0 ↔ 255	PAN
2	0 ↔ 255	TITL
3	0 ↔ 255	RED
4	0 ↔ 255	GREEN
5	0 ↔ 255	BLUE
6	0 ↔ 255	WHITE
7	0 ↔ 255	DIMMER
8		MARCOS
	0 ↔ 9	NO FUNCTION
	10 ↔ 29	RED 100% / GREEN UP / BLUE 0%
	30 ↔ 49	RED DOWN / GREEN 100% / BLUE 0%
	50 ↔ 69	RED 0% / GREEN 100% / BLUE UP
	70 ↔ 89	RED 0% / GREEN DOWN / BLUE 100%
	90 ↔ 109	RED UP / GREEN 0% / BLUE 100%
	110 ↔ 129	RED 100% / GREEN 0% / BLUE DOWN
	130 ↔ 149	RED 100% / GREEN UP / BLUE UP
	150 ↔ 169	RED DOWN / GREEN DOWN / BLUE 100%
	170 ↔ 189	ALL LED AT FULL OUTPUT
	190 ↔ 199	2700K
	200 ↔ 209	3200K
	210 ↔ 219	4200K
	220 ↔ 229	5600K
	230 ↔ 239	6500K
	240 ↔ 255	8000K
9		A SINGLE POINT
	0 ↔ 9	NO FUNCTION
	10 ↔ 19	static 1
	20 ↔ 29	static 2
	30 ↔ 39	static 3
	40 ↔ 49	static 4
	50 ↔ 59	static 5
	60 ↔ 69	static 6
	70 ↔ 79	static ALL
	80 ↔ 89	RING1 (CLOCKWISE)
	90 ↔ 99	RING2 (ANTI-CLOCKWISE)
	100 ↔ 109	RED-2700k
	110 ↔ 119	ORANGE-2700K
	120 ↔ 129	YELLOW-2700K
	130 ↔ 139	GREEN-2700K
	140 ↔ 149	CYAN-2700K
	150 ↔ 159	BLUE-2700K

CHANNEL	VALUE	FUNCTION
9	160 ↔ 169	MAGENTA-2700K
	170 ↔ 179	RED-2700k
	180 ↔ 189	RED-5600K
	190 ↔ 199	ORANGE-5600K
	200 ↔ 209	YELLOW-5600K
	210 ↔ 219	GREEN-5600K
	220 ↔ 229	CYAN-5600K
	230 ↔ 239	BLUE-5600K
	240 ↔ 249	MAGENTA-5600K
	250 ↔ 255	RED-5600K
10	0 ↔ 255	AUTO SPEED SLOW TO FAST
11		STROBE
	0 ↔ 9	NO FUNCTION
	10 ↔ 99	STROBE FROM £SLOW TO FAST £0-25Hz£
	100 ↔ 109	NO FUNCTION
	110 ↔ 179	LIGHTNING STROBE
	180 ↔ 189	NO FUNCTION
	190 ↔ 255	RANDOM SROBE
12	0 ↔ 255	ZOOM
13		CONTROL
	0 ↔ 9	NO FUNCTION
	10 ↔ 19	PAN/TILT BLACK ACTIVATED
	20 ↔ 29	PAN/TILT BLACK DEACTIVATED
	30 ↔ 39	FAN SLOW
	40 ↔ 49	FAN NORMAL
	50 ↔ 59	FAN FAST
	60 ↔ 69	FAN AUTO
	70 ↔ 79	AUTO1
	80 ↔ 89	AUTO2
	90 ↔ 99	CUSTOM
	100 ↔ 109	TEST
	110 ↔ 119	RESET
	120 ↔ 129	NO FUNCTION
	130 ↔ 139	DIM0
	140 ↔ 149	DIM1
	150 ↔ 159	DIM2
	160 ↔ 169	DIM3
	170 ↔ 179	DIM4
	180 ↔ 255	NO FUNCTION

CMY

CHANNEL	VALUE	FUNCTION
1	0 ↔ 255	PAN
2	0 ↔ 255	PAN FINE
3	0 ↔ 255	TITL
4	0 ↔ 255	TITL FINE
5	0 ↔ 255	PT SPEED
6	0 ↔ 255	CYAN
7	0 ↔ 255	MAGENT
8	0 ↔ 255	YELLOW
9	0 ↔ 255	DIMMER
10		MARCOS
	0 ↔ 9	NO FUNCTION
	10 ↔ 29	CYAN 100% / MAGENTA UP / YELLOW 0%
	30 ↔ 49	CYAN DOWN / MAGENTA 100% / YELLOW 0%
	50 ↔ 69	CYAN 0% / MAGENTA 100% / YELLOW UP
	70 ↔ 89	CYAN 0% / MAGENTA DOWN / YELLOW 100%
	90 ↔ 109	CYAN UP / MAGENTA 0% / YELLOW 100%
	110 ↔ 129	CYAN 100% /MAGENTA 0%/YELLOW DOWN
	130 ↔ 149	CYAN 100%/MAGENTA UP/YELLOW 0%
	150 ↔ 189	NO FUNCTION
	190 ↔ 199	2700K
	200 ↔ 209	3200K
	210 ↔ 219	4200K
	220 ↔ 229	5600K
	230 ↔ 239	6500K
240 ↔ 255	8000K	
11		A SINGLE POINT
	0 ↔ 9	NO FUNCTION
	10 ↔ 19	static 1
	20 ↔ 29	static 2
	30 ↔ 39	static 3
	40 ↔ 49	static 4
	50 ↔ 59	static 5
	60 ↔ 69	static 6
	70 ↔ 79	static ALL
	80 ↔ 89	RING1 (CLOCKWISE)
	90 ↔ 99	RING2 (ANTI-CLOCKWISE)
	100 ↔ 109	RED-2700k
	110 ↔ 119	ORANGE-2700K
	120 ↔ 129	YELLOW-2700K
	130 ↔ 139	GREEN-2700K
	140 ↔ 149	CYAN-2700K
	150 ↔ 159	BLUE-2700K

CHANNEL	VALUE	FUNCTION
11	160 ↔ 169	MAGENTA-2700K
	170 ↔ 179	RED-2700k
	180 ↔ 189	RED-5600K
	190 ↔ 199	ORANGE-5600K
	200 ↔ 209	YELLOW-5600K
	210 ↔ 219	GREEN-5600K
	220 ↔ 229	CYAN-5600K
	230 ↔ 239	BLUE-5600K
	240 ↔ 249	MAGENTA-5600K
	250 ↔ 255	RED-5600K
12	0 ↔ 255	AUTO SPEED SLOW TO FAST
13		STROBE
	0 ↔ 9	NO FUNCTION
	10 ↔ 99	STROBE FROM £SLOD TO FAST £0-25Hz£
	100 ↔ 109	NO FUNCTION
	110 ↔ 179	LIGHTNING STROBE
	180 ↔ 189	NO FUNCTION
	190 ↔ 255	RANDOM SROBE
14	0 ↔ 255	ZOOM
15		CONTROL
	0 ↔ 9	NO FUNCTION
	10 ↔ 19	PAN/TILT BLACK ACTIVATED
	20 ↔ 29	PAN/TILT BLACK DEACTIVATED
	30 ↔ 39	FAN SLOW
	40 ↔ 49	FAN NORMAL
	50 ↔ 59	FAN FAST
	60 ↔ 69	FAN AUTO
	70 ↔ 79	AUTO1
	80 ↔ 89	AUTO2
	90 ↔ 99	CUSTOM
	100 ↔ 109	TEST
	110 ↔ 119	RESET
	120 ↔ 129	NO FUNCTION
	130 ↔ 139	DIM0
	140 ↔ 149	DIM1
	150 ↔ 159	DIM2
	160 ↔ 169	DIM3
170 ↔ 179	DIM4	
180 ↔ 255	NO FUNCTION	

PERSON2


CHANNEL	VALUE	FUNCTION
1	0 ⇔ 255	PAN
2	0 ⇔ 255	PAN FINE
3	0 ⇔ 255	TITL
4	0 ⇔ 255	TITL FINE
5	0 ⇔ 255	PT SPEED
6	0 ⇔ 255	RED
7	0 ⇔ 255	RED FINE
8	0 ⇔ 255	GREEN
9	0 ⇔ 255	GREEN FINE
10	0 ⇔ 255	BLUE
11	0 ⇔ 255	BLUE FINE
12	0 ⇔ 255	WHTIE
13	0 ⇔ 255	WHTIE FINE
14	0 ⇔ 255	DIMMER
15	0 ⇔ 255	DIMMER FINE
16		MARCOS
	0 ⇔ 9	NO FUNCTION
	10 ⇔ 29	RED 100% / GREEN UP / BLUE 0%
	30 ⇔ 49	RED DOWN / GREEN 100% / BLUE 0%
	50 ⇔ 69	RED 0% / GREEN 100% / BLUE UP
	70 ⇔ 89	RED 0% / GREEN DOWN / BLUE 100%
	90 ⇔ 109	RED UP / GREEN 0% / BLUE 100%
	110 ⇔ 129	RED 100% / GREEN 0% / BLUE DOWN
	130 ⇔ 149	RED 100% / GREEN UP / BLUE UP
	150 ⇔ 169	RED DOWN / GREEN DOWN / BLUE 100%
	170 ⇔ 189	ALL LED AT FULL OUTPUT
	190 ⇔ 199	2700K
	200 ⇔ 209	3200K
	210 ⇔ 219	4200K
	220 ⇔ 229	5600K
	230 ⇔ 239	6500K
240 ⇔ 255	8000K	
17		A SINGLE POINT
	0 ⇔ 9	NO FUNCTION
	10 ⇔ 19	static 1
	20 ⇔ 29	static 2
	30 ⇔ 39	static 3
	40 ⇔ 49	static 4
	50 ⇔ 59	static 5
	60 ⇔ 69	static 6

CHANNEL	VALUE	FUNCTION
17	70 ↔ 79	static ALL
	80 ↔ 89	RING1 ĘĘÖ
	90 ↔ 99	RING2ÄĘÖ
	100 ↔ 109	RED-2700k
	110 ↔ 119	ORANGE-2700K
	120 ↔ 129	YELLOW-2700K
	130 ↔ 139	GREEN-2700K
	140 ↔ 149	CYAN-2700K
	150 ↔ 159	BLUE-2700K
	160 ↔ 169	MAGENTA-2700K
	170 ↔ 179	RED-2700k
	180 ↔ 189	RED-5600K
	190 ↔ 199	ORANGE-5600K
	200 ↔ 209	YELLOW-5600K
	210 ↔ 219	GREEN-5600K
	220 ↔ 229	CYAN-5600K
	230 ↔ 239	BLUE-5600K
240 ↔ 249	MAGENTA-5600K	
250 ↔ 255	RED-5600K	
18	0 ↔ 255	AUTO SPEED SLOW TO FAST
19		STROBE
	0 ↔ 9	NO FUNCTION
	10 ↔ 99	STROBE FROM ĘSLOW TO FAST Ę0-25HzĘ
	100 ↔ 109	NO FUNCTION
	110 ↔ 179	LIGHTNING STROBE
	180 ↔ 189	NO FUNCTION
190 ↔ 255	RANDOM SROBE	
20	0 ↔ 255	ZOOM
21		CONTROL
	0 ↔ 9	NO FUNCTION
	10 ↔ 19	PAN/TILT BLACK ACTIVATED
	20 ↔ 29	PAN/TILT BLACK DEACTIVATED
	30 ↔ 39	FAN SLOW
	40 ↔ 49	FAN NORMAL
	50 ↔ 59	FAN FAST
	60 ↔ 69	FAN AUTO
	70 ↔ 79	AUTO1
	80 ↔ 89	AUTO2
	90 ↔ 99	CUSTOM
	100 ↔ 109	TEST
	110 ↔ 119	RESET
	120 ↔ 129	NO FUNCTION
	130 ↔ 139	DIM0
	140 ↔ 149	DIM1
	150 ↔ 159	DIM2
	160 ↔ 169	DIM3
170 ↔ 179	DIM4	
180 ↔ 255	NO FUNCTION	

PIXEL

CHANNEL	VALUE	FUNCTION
1	0 ↔ 255	PAN
2	0 ↔ 255	PAN FINE
3	0 ↔ 255	TILT
4	0 ↔ 255	TILT FINE
5	0 ↔ 255	PT SPEED
6	0 ↔ 255	DIMMER
7		STROBE
	0 ↔ 9	NO FUNCTION
	10 ↔ 99	STROBE FROM £SLOD TO FAST £0-25Hz£
	100 ↔ 109	NO FUNCTION
	110 ↔ 179	LIGHTNING STROBE
	180 ↔ 189	NO FUNCTION
	190 ↔ 255	RANDOM SROBE
8	0 ↔ 255	ZOOM
9		CONTROL
	0 ↔ 9	NO FUNCTION
	10 ↔ 19	PAN/TILT BLACK ACTIVATED
	20 ↔ 29	PAN/TILT BLACK DEACTIVATED
	30 ↔ 39	FAN SLOW
	40 ↔ 49	FAN NORMAL
	50 ↔ 59	FAN FAST
	60 ↔ 69	FAN AUTO
	70 ↔ 79	AUTO1
	80 ↔ 89	AUTO2
	90 ↔ 99	CUSTOM
	100 ↔ 109	TEST
	110 ↔ 119	RESET
	120 ↔ 129	NO FUNCTION
	130 ↔ 139	DIM0
	140 ↔ 149	DIM1
	150 ↔ 159	DIM2
	160 ↔ 169	DIM3
	170 ↔ 179	DIM4
180 ↔ 255	NO FUNCTION	


CHANNEL	VALUE	FUNCTION
10	0 ↔ 255	RED 1
11	0 ↔ 255	GREEN1
12	0 ↔ 255	BLUE1
13	0 ↔ 255	White1
14	0 ↔ 255	RED2
15	0 ↔ 255	GREEN2
16	0 ↔ 255	BLUE2
17	0 ↔ 255	White 2
18	0 ↔ 255	RED3
19	0 ↔ 255	GREEN3
20	0 ↔ 255	BLUE3
21	0 ↔ 255	White3



STATIC 1




STATIC 2



STATIC 3



STATIC 4



STATIC 5



STATIC 6




STATIC ALL




RING1




RING2




RED-2700K




ORANGE-2700K




YELLOW-2700K




GREEN-2700K




CYAN-2700K




BLUE-2700K




MAGENTA-2700K




RED-2700k




RED-5600K




ORANGE-5600K




YELLOW-5600K




GREEN-5600K




CYAN-5600K



BLUE-5600K



MAGENTA-5600K



RED-5600K